

5171 Wilfong Road Memphis, TN 38134 USA

Telephone: 901-382-8716 Fax: 901-333-8223

06 MARCH 2019

Email: info@meridianlifescience.com www.MeridianLifeScience.com

CERTIFICATE OF ANALYSIS

| Important Note: | Centrifuge before opening to ensure complete recovery of vial contents. | | |
|-----------------|---|---------------------------------------|----------------------------|
| Catalog #: | R01434 | Lot #: | 5J29310 |
| Description: | HTLV-I gp46 Recombinant HTLV-I gp46 (a.a. 165-440), Recombinant | | |
| | Immunodominant region (a.a. 165-440) of HTLV-I g HTLV-I/-II positive serum. | gp46. Contains a 6-HIS tag at the C t | erminus. Reacts with human |
| Source: | E coli | | |
| Format: | Purified, Liquid | | |
| Purification: | > 95% pure (SDS-PAGE and HPLC-C4) | | |
| Concentration: | 1 mg/ml | | |
| Buffer: | 10mM Sodium phosphate, pH 6.0 containing 0.1% SDS, 1mM DTT and 1mM EDTA | | |
| Preservative: | None | | |
| Applications: | Suitable for use in ELISA, Western blot, and Lateral flow. Each laboratory should determine an optimum working tite for use in its particular application. Other applications have not been tested but use in such assays should not necessarily be excluded. | | |
| Storage: | Short term (up to 6 months) store at 2–8°C. Long ter | m store at -80°C. Avoid multiple fre | eze/thaw cycles. |
| Inactivation: | Not applicable | | |
| Safety Note(s): | Refer to the appropriate Safety Data Sheet (SDS) for | additional information. | |

FOR RESEARCH OR FURTHER MANUFACTURING USE ONLY

Brenda Du