

5171 Wilfong Road Memphis, TN 38134 USA

Telephone: 901-382-8716 Fax: 901-333-8223

Email: info@meridianlifescience.com www.MeridianLifeScience.com

CERTIFICATE OF ANALYSIS

Catalog #:

R17900

Lot#

M31774018

Description:

Coxsackie A9 Antigen (P.B Bozek Strain)

Viral Strain:

P.B Bozek

Source:

Grown in LLC-MK2 Cells

Product manufactured in the United States using only domestic animal materials processed in U.S. facilities.

Format:

Liquid

Exp. Date:

03 APR 2023

Protein

Concentration:

UV/VIS (A260/A280)

Acceptable Range: To Report Testing Results: 0.97 mg/mL

Buffer:

Phosphate Buffered Saline 0.15 M Sodium chloride, pH 7.3 – 7.7

Inactivation:

Inactivated by heat (60°C for 45 minutes) and verified by Infectivity Testing (Cell Culture)

Acceptable Range: 0 CPE Testing Results: Pass

Preservative:

None

Applications:

Each laboratory should determine an optimum working titer for use in its particular application

Storage:

Store at \leq -65°C. Avoid multiple freeze/thaw cycles.

Safety Notes:

Refer to the appropriate Safety Data Sheet (SDS) for additional information

10 May 2018

Date